

# 9200 WB

## RUST-O-THANE®

**Waterbased  
polyurethane topcoat**

RUST-O-THANE 9200WB is a very low VOC containing, waterbased, 2-component, polyurethane topcoat for multi-purpose use. RUST-O-THANE 9200WB has an excellent flow, is highly abrasion and chemical resistant and easy to clean, hence a perfect finish for RUST-OLEUM MATHYS epoxy and acrylic systems.



- **waterbased**
- **excellent abrasion and solvent resistance**
- **long lasting satin gloss**
- **exceptional UV-light resistance**
- **extremely durable**
- **low VOC**



# System RUST-O-THANE 9200WB

## Technical Data

Finish	satın
Volume solids	37% mixed product (depending on colour)
Recommended dft	Floors: 60 µm dry equals 160 µm wet Other: 40 µm dry equals 110 µm wet
Coverage	6 m <sup>2</sup> /l at 60 µm dry (depending on colour) 9 m <sup>2</sup> /l at 40 µm dry (depending on colour) practical coverage depends on many factors such as porosity and rugosity of the substrate and material losses during application










### Drying times at 20 °C / 50% rel. humidity

To touch	1,5 hours
To handle	4 hours
To recoat	24 hours
Potlife	1 hour
Full hardness	2 days

Heat resistance 90 °C dry (above 65°C discoloration may occur)

*For more information we refer to the respective Product and Material Safety Data Sheets.*

## Colour Assortment

	9235WB RAL 6011 Reseda Green		9282WB RAL 7001 Steel Grey
	9242WB RAL 1015 Clear Ivory		9286WB RAL 7005 Navy Grey
	9267WB RAL 8015 Tile Red		9292WB RAL 9010 White
	9271WB Dunes Tan		9211WB Clear
	9281WB RAL 7035 Light Grey		

*Additional shades and special custom colours can be made available by your Rust-Oleum Mathys coatings supplier.*



**RUST-OLEUM MATHYS**  
best solutions in paints & coatings

An **RPM** Company

**Rust-Oleum Netherlands B.V.**  
Postbus 138  
4700 AC Roosendaal  
The Netherlands

Tel. +31(0)165 59 36 36  
Fax +31(0)165 59 36 00  
info.nl@ro-m.com  
www.ro-m.com

**Rust-Oleum France S.A.**  
11, rue Jules Verne-B.P. 39  
95322 St-Leu-La-Forêt Cedex  
France

Tél. +33(0)1 30 40 00 44  
Fax +33(0)1 30 40 99 80  
info.fr@ro-m.com  
www.ro-m.com

**Rust-Oleum UK Ltd.**  
Unit 5D Alexandra Way  
Ashchurch B. Centre  
Tewkesbury GL20 8 NB  
United Kingdom

Tel. +44(0)1684 27 33 33  
Fax +44(0)1684 27 33 31  
info.uk@ro-m.com  
www.ro-m.com

**Rust-Oleum Mathys Italia s.r.l.**  
Via Mazetta, 36  
13856 Vigliano Biellese BI  
Italia

Tel. +39(0)158 12 21 60  
Fax +39(0)158 12 21 61  
info.it@ro-m.com  
www.ro-m.com

**N.V. Mathys S.A.**  
Kolenbergstraat 23  
3545 Zelem  
België

Tel. +32(0)13 46 02 00  
Fax +32(0)13 46 02 01  
info.be@ro-m.com  
www.ro-m.com